

Manual Food Slicer

Model : WFS35MG5

High capacity heavy-duty commercial slicer at a very economical price. Safe, effective and CE approved. Ideal for Delis, Supermarkets and Butchers throughout Australia.

FEATURES

WFS35MG5

- high capacity heavy duty commercial slicer
- gear driven blade
- large diameter blade to handle the largest meat cuts, coupled to high capacity carriage
- see-through hand guard for operator safety and ease of use
- integral sharpener: Safe, effective and always at hand to regularly sharpen the blade
- ample operator access for fast cleanup of food debris behind blade
- attractive highly polished anodised aluminium alloy construction allows easy cleaning and better hygiene
- single phase 230V AC 50Hz
- Net weight 42kg

SAFETY FEATURES

- blade safety ring: The blade is completely shrouded by a metal safety guard to prevent accidental injury during use or cleaning
- safety Interlock: The carriage interlock does not allow tilting or removal of the carriage unless the index knob is set to zero. This prevents the blade from being exposed whilst cleaning, thereby reducing risk of injury
- power fail safe: If mains power fails and is resumed, the slicer will not start until the slicer "on" button is re-selected by the operator. There is no risk of the slicer starting inadvertently
- no blade removal required: A large gap between the blade and motor housing allows easy access behind the blade for cleaning. There is no need for an operator to remove the blade
- CE Approved: This means the highest standards of design and manufacture have been adhered to for optimal levels of safety for the user



SPECIFICATIONS

Model Number	Blade Diameter (mm)	Slice Thickness (mm)	Overall Dimensions (mm)
WFS35MG5	350	0-15	465 (W) x 620 (D) x 250 (H)

Specifications may change without notice

ADDITIONAL SPECIFICATIONS

WFS35MG5


Product Capacity (mm)

maximum diameter:	255
maximum slice thickness:	15
maximum height:	250
maximum length:	300

Dimensions (mm)

blade diameter:	350
footprint:	465 (W) x 620 (D)
working area required:	580 (W) x 800 (D)

GRAVITY



Specifications may change without notice